According to regulation 1907/2006/EG (REACH)

#### **Premium Pigment Black**

Version: 2.0 / EN

Revised: 30 November 2024



#### **Section 1: Chemical Product and Company Identification**

Name of the mixture: Premium Pigment Black

Application of the mixture:

cartridge

Industrial Inkjet Ink for cardboard and coated stock / 45A

Company name: Novidi GmbH

Rathausgasse 5

12529 Schönefeld / GERMANY

Technical information: Thomas Fox
Telephone: +49 (30) 75437985
Email: sales@coex.supply

#### **Section 2: Hazards Identification**

#### Classification of the mixture:

#### According to regulation 1999/45/EG this is not a hazardous mixture/substance

It is assumed that a potential hazard is only possible by the action of a single component.

#### **Section 3: Composition and Information on Ingredients**

#### Chemical characterization:

Not flammable solution of dyes and additives.

#### Hazardous substances contained in the mixture

Name	EC-No.	Content	Classification / labelling	
CAS-No.		(Gew%)	Hazard Symbol	Hazard
				Phrases
2-Pyrrolidone 616-45-5	210-483-1	<6 %	Warning	H302, H315, H319
Butan-1-ol 71-36-3	200-751-6	< 1%	Warning	H226, H302, H315, H318, H335, H336

According to regulation 1907/2006/EG (REACH)

#### **Premium Pigment Black**

Version: 2.0 / EN

Revised: 30 November 2024



#### **Section 4: First Aid Measures**

#### General note:

Take injured persons out of danger. If a doctor is consulted, please show this safety data sheet.

#### After inhalation:

Ensure fresh air. If symptoms persist, consult a physician.

#### After skin contact:

Remove moistened garments. Wash affected areas carefully with a mild soap and water. If irritation develops or persists, consult a physician.

#### Eye contact:

Do not rub eyes. Immediately clean with plenty of pure lukewarm water. If irritation develops or persists, consult an ophthalmologist.

#### After swallowing:

Rinse mouth immediately if possible. If larger amounts are swallowed, consult a physician.

#### Section 5: Fire and Explosion Data

#### The product is not flammable.

National Fire Protection Association (U.S.A.):

Health: 1 Flammability: 0 Reactivity: 0

Specific hazard: 0

Extinguishing media: All extinguishing media are appropriate. Protective measures: Protective googles, gloves and coat.

#### Section 6: Accidental Release Measures

Security measures related to persons:

Wear appropriate protective clothing as described in section 8.

Avoid contact with eyes and skin.

#### Environmental precautions:

Do not allow product to enter drains or water bodies.

Methods for cleaning up / taking up:

Absorb with absorbent material.

Wash with water.

According to regulation 1907/2006/EG (REACH)

## **Premium Pigment Black**

Version: 2.0 / EN Revised: 30 November 2024



#### **Section 7: Handling and Storage**

Handling:

No special measures required.

Storage:

Store in a dry, cool place. Store away from foodstuffs.

No special measures necessary; Store, deliver, etc. in sealed original containers.

Do not expose to frost.

According to regulation 1907/2006/EG (REACH)

#### **Premium Pigment Black**

Version: 2.0 / EN

Revised: 30 November 2024



#### Section 8: Exposure Controls/Personal Protection

General protective and hygienic measures:

When handling chemicals the usual precautions should be taken, especially protective gloves and goggles, especially when handling larger quantities. Do not eat, drink or smoke during work. Wash hands before work breaks and at the workplace.

#### **Section 9: Physical and Chemical Properties**

Color: black

Odor: weak, characteristic

Phase State: liquid pH: 8
Melting point: 0° C

Boiling point: not determined

Flash point: > 100 ° C

evaporation speed: not determined Ignition temperature: not flammable Density at 20C: 1.0 -1.1 g / cm3

Solubility in water: given

#### Section 10: Stability and Reactivity Data

All data are subject to the intended use.

Conditions to avoid:

Stable under the recommended storage conditions.

Substances to be avoided:

Strong bases, strong acids, strong oxidizing agents.

Possible dangerous reactions:

No information available.

Hazardous decomposition products:

In the event of fire, this product may liberate carbon dioxide, carbon monoxide, nitrogen oxides and low molecular weight hydrocarbons.

#### **Section 11: Toxicological Information**

Toxicological tests on the product itself:

Not available.

# Material Safety Data Sheet According to regulation 1907/2006/EG (REACH)

## **Premium Pigment Black**

Version: 2.0 / EN Revised: 30 November 2024

#### **Section 12: Ecological Information**

General ecological information: Do not allow to enter water, waste water or soil.



According to regulation 1907/2006/EG (REACH)

#### **Premium Pigment Black**

Version: 2.0 / EN

Revised: 30 November 2024



#### **Section 13: Disposal Considerations**

Product (recommended):

All state and local laws are to be observed.

This material may only be disposed of by an approved disposal company.

Contaminated packaging:

Dispose of as unused product.

#### **Section 14: Transport Information**

No hazardous transport/cargo

Acc. to: ADR/RID/GGVSEB (road)
Acc. to: IMDG/GGVSee (boat)
Acc. to: ICAO/IATA (aeroplane)

Keep away from food and drink.

#### **Section 15: Other Regulatory Information**

Labeling:

No labeling required by Directive 1999/45 / EC.

National rules:

None

#### **Section 16: Other Information**

The information contained in this safety data sheet describes the safety requirements of our product and is based on the present state of our knowledge. They do not constitute a guarantee of product characteristics. Existing laws, regulations and regulations, including those not mentioned in this data sheet, are to be observed by the recipient of our products on their own responsibility.

#### Relevant R-phrases of the components of the preparation (list):


H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

According to regulation 1907/2006/EG (REACH)

## **Premium Pigment Black**

Version: 2.0 / EN Revised: 30 November 2024



H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness and dizziness

